

Starships D6 / Apone Assault Shuttle

Apone Assault Shuttle

The Republic's Apone-class assault shuttles served both the Republic's Army and Navy for nearly seventy years - with the exception of those which served

longer on board of the small number of Sulanko frigates surviving into the days of the Clone Wars - until it eventually became obsolete.



The Apone was designed to function better in an atmosphere than in the vacuum of space. Equipped with a chin-mounted laser cannon as well as two wing-tip concussion missile launchers, the Apone was capable of providing a very substantial amount of fire against ground targets as well as other ships and vehicles. However, the concussion missile launchers were only available for use when the ship was in atmospheric flight mode with the maneuvering wings unfolded - the launchers were inside of the main hull with the wings folded.

The Apone was designed to work specifically with the Ripper-class armored personnel carriers. The inside of the Apone consisted of only a large hold for a single Ripper and the main cockpit with seats for the pilot and the co-pilot. The troops usually remained inside of the APC, mainly due to the fact that there was little to no room for them outside of it with the APC loaded. However, there were fold-down benches for the soldiers to use if an APC was not loaded - mainly in the case of a ship boarding.

In standard operation the Apone's were usually only used to transport a squad of troops and their support APC to a planetary surface while only performing ship boardings when other craft were unavailable for the job. During a surface drop, or "dust off" for short, the Apone lowers the APC securely on the loading ramp approximately fifteen seconds prior to landing so that the APC can depart almost immediately upon touch down allowing the shuttle to take off as quickly as possible. A quick take off was preferred so that the shuttle could provide air support if needed.

Model: Telgorn Corporation's Apone Assault Shuttle

Type: Short-range assault shuttle

Scale: Starfighter

Length: 35.9 meters

skill: Space transports: Apone assault shuttle

Crew: 2; skeleton: 1/+10

Crew Skill: Varies dramatically

Passengers: 10 (troops) and 1 Ripper APC

Cargo Capacity: 250 kilograms

Consumables: 1 day

Cost: Not available for sale

Manueverability: 1D (1D+2 in atmosphere)

Space: 6

Atmosphere: 295; 850 kmh

Hull: 5D

Shields: 3D

Sensors:

Passive: 10/0D

Scan: 20/1D

Search: 40/2D

Focus: 2/2D

Weapons:

Laser Cannon

Fire Arc: Front

Crew: 1 (pilot)

Skill: Starship gunnery

Fire Control: 2D

Space Range: 1-5/10/17

Atmosphere Range: 100-500/1/1.7 km

Damage: 3D+2

2 Concussion Missile Launchers (retractable)

Fire Arc: Front

Crew: 1 (co-pilot)

Skill: Missile weapons

Ammo: 16 each

Fire Control: 2D

Space Range: 1-5/12/19

Atmosphere Range: 100-500/1.2/1.9 km

Damage: 6D

Game Notes: Can only be used in atmospheric flight mode.

2 Heavy Rocket Launchers

Fire Arc: Front

Crew: 1 (co-pilot)

Skill: Missile weapons

Ammo: 6 each

Fire Control: 2D

Space Range: 1-3/9/13

Atmosphere Range: 100-300/900/1.3 km

Damage: 8D

Plasma Torch Boarding Device

Fire Arc: Ventral

Skill: Starship gunnery

Crew: 1

Fire Control: 0D

Range: 4 meters

Damage: 8D

Note: The plasma torch boarding device is mounted on the ship's airlock system. The controls are just inside the main airlock. Roll the target ship's hull -2D; if the torch scores a lightly damaged result, it has breached the hull. Once the hull is breached, the torch requires a full minute to cut a one-meter-wide by one-meter-high hole. The extendable boarding tube attaches to the hull and forms an air-tight seal in 30 seconds.

Page designed in Notepad, Logo`s done in Personal Paint on the Commodore Amiga

All text and stats by Ryan Matheny, OverLord, HTML and logos done by FreddyB

Images stolen from an unknown website at some remote time in the past.

Any complaints, writs for copyright abuse, etc should be addressed to the Webmaster [FreddyB](#).